


Day : Monday
Date: 7/10/2006
Time: 12:29:47

 **PALM INTRANET**

Inventor Information for 10/626966

| Inventor Name | City | State/Country |
|--------------------|--------------|---------------|
| DENNIS, WILLIAM G. | JACKSONVILLE | FLORIDA |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)[Inv](#)

Search Another: Application# or Patent#
PCT / / or PG PUBS #
Attorney Docket #
Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | |
|-------------------------|----------|---|------------|--------------------------------|---------------------------------|
| US 20050043743 A1 | 20050224 | Automatically deforming surgical snare | 606/113 | | Dennis, William G. |
| US 20050021062 A1 | 20050127 | Occlusion clip and applicator | 606/157 | | Dennis, William G. |
| US 20050021061 A1 | 20050127 | Occlusion clip and method of applying same | 606/157 | | Dennis, William G. |
| US 20040171990 A1 | 20040902 | Surgical instrument seal assembly | 604/167.03 | | Dennis, William G. et al. |
| US 20030189330 A1 | 20031009 | Transport and storage trailer | 280/789 | | Dennis, William |
| US 20030109874 A1 | 20030612 | Surgical snare with steering tether and method of using same | 606/47 | 606/113 | Dennis, William G. |
| US 20030088627 A1 | 20030508 | Intelligent SPAM detection system using an updateable neural analysis engine | 709/206 | 709/224; 726/22 | Rothwell, Anton C. et al. |
| US 20020107484 A1 | 20020808 | Surgical instrument seal assembly | 604/167.03 | 606/108 | Dennis, William G. et al. |
| US 20020013552 A1 | 20020131 | Surgical instrument seal assembly | 604/167.03 | | Dennis, William G. |
| US 20020010424 A1 | 20020124 | Surgical instrument seal assembly | 604/167.03 | 251/61.1 | Dennis, William G. et al. |
| US 7056303 B2 | 20060606 | Surgical instrument seal assembly | 604/167.03 | 604/256 | Dennis; William G. et al. |
| US 7051480 B1 | 20060530 | Apparatus and system for preventing ice dam formation | 52/24 | 52/11; 52/12; 52/16; 52/217 | Dennis; William D. |
| US 7037307 B2 | 20060502 | Automatically deforming surgical snare | 606/47 | 606/110; 606/113 | Dennis; William G. |
| US 7016939 B1 | 20060321 | Intelligent SPAM detection system using statistical analysis | 709/206 | 709/207 | Rothwell; Anton C. et al. |
| US 7007302 B1 | 20060228 | Efficient management and blocking of malicious code and hacking attempts in a network environment | 726/25 | 726/23; 726/27 | Jagger; Luke D. et al. |
| US 6860869 B2 | 20050301 | Surgical instrument seal assembly | 604/167.03 | | Dennis; William G. |
| US 6806993 B1 | 20041019 | Method for | 359/291 | 359/290; | Adams; Lea et |

| | | | | | |
|---------------|----------|---|------------|---|----------------------------|
| | | lubricating MEMS components | | 438/106 | al. |
| US 6769016 B2 | 20040727 | Intelligent SPAM detection system using an updateable neural analysis engine | 709/206 | 706/20; 707/1; 707/101; 709/202; 709/207; 709/229; 715/500; 715/534; 715/535; 715/538 | Rothwell; Anton C. et al. |
| US 6730097 B2 | 20040504 | Surgical snare with steering tether and method of using same | 606/113 | 606/110; 606/47 | Dennis; William G. |
| US 6726663 B1 | 20040427 | Trocar with disposable valve and reusable cannula | 604/164.11 | 604/167.05; 604/246; 604/278 | Dennis; William G. |
| US 6517549 B1 | 20030211 | Medical mouthpiece with elliptical passageway | 606/108 | 128/200.26; 600/237 | Dennis; William G. |
| US 6258065 B1 | 20010710 | Surgical instrument seal assembly | 604/167.03 | 604/167.01; 604/167.06; 604/256 | Dennis; William G. et al. |
| US 6228095 B1 | 20010508 | Specimen retrieval device | 606/114 | | Dennis; William G. |
| US 6228058 B1 | 20010508 | Sleeve trocar with penetration indicator | 604/164.01 | | Dennis; William G. et al. |
| US 6177040 B1 | 20010123 | Method for making light transparent package for integrated circuit | 264/272.13 | 257/E21.504; 264/272.15; 264/272.17 | Dennis; William K. |
| US 6093176 A | 20000725 | Trocar with disposable valve and reusable cannula | 604/256 | 604/164.01; 604/167.01; 604/246; 604/278 | Dennis; William G. |
| US 6020630 A | 20000201 | Tape automated bonding package for a semiconductor chip employing corner member cross-slots | 257/690 | 257/666; 257/668; 257/669; 257/671; 257/E23.055 | Dennis; William K. et al. |
| US 5853392 A | 19981229 | Sleeve trocar with penetration indicator | 604/164.01 | 604/118; 604/158; 606/167; 606/181 | Dennis; William G. |
| US 5727770 A | 19980317 | Double valve cannula seal | 251/149.1 | 604/256; 604/905 | Dennis; William G. |
| US 5661900 A | 19970902 | Method of fabricating an ultrasonically welded plastic support ring | 29/827 | 174/529; 174/554; 438/123 | McLellan; Robert N. et al. |
| US 5105514 A | 19920421 | Method of making a | 86/55 | | Bilsbury; |

| | | | | | |
|--------------|----------|--|-----------|--|---------------------------------|
| | | low cost penetrator projectile | | | Stephen J. et al. |
| US 5008301 A | 19910416 | Ultraviolet curing conformal coating with dual shadow cure | 522/13 | 522/99; 528/17; 528/21; 528/24; 528/32; 528/41 | Dennis; William E. et al. |
| US D304143 S | 19891024 | Soft drink carrier | D3/229 | D7/620 | Dennis; William M. |
| US 4872680 A | 19891010 | Electric drag strip apparatus | 463/59 | 238/10F; 446/446; 463/62 | Dennis; Willard A. |
| US 4754903 A | 19880705 | Softdrink carrier | 224/148.5 | 224/148.3; 224/148.7; 224/257; 224/602; 224/623; 248/102 | Dennis; William M. |
| US 4640881 A | 19870203 | Method for the dispersement of magnetic filler in one-part toner powder and the composition therefor | 430/109.1 | 430/106.2; 430/137.1; 430/137.18; 430/903 | Dennis; William E. |
| US 4553985 A | 19851119 | Gas chromatography | 95/26 | 73/23.39; 73/23.42; 95/82; 96/103 | Dahlgren; Robert W. et al. |
| US 4399688 A | 19830823 | Air pollution detection | 73/23.35 | 73/864.81 | Dennis; William H. |
| US 4254656 A | 19810310 | Chromatographic analysis without calibration using dual detectors | 73/61.52 | 210/198.2; 422/70 | Sanford; Richard A. et al. |
| US 4092179 A | 19780530 | Method of producing high strength cold rolled steel sheet | 148/547 | 148/320; 148/331 | Charpentier; Philippe L. et al. |
| US 3696138 A | 19721003 | METHOD OF PRODUCING 2-(CHLOROMETHYL) ALLYL-SUBSTITUTED SILANES | 556/476 | 556/465; 556/485 | Michael; Keith W. et al. |
| US 3678219 A | 19720718 | FLYING MAGNETIC HEAD TESTING APPARATUS | 360/137 | 360/135 | Dennis; Willard |
| US 3648359 A | 19720314 | WORKING OF CONTINUOUSLY CAST METAL STRAND | 29/527.7 | 164/263; 164/420; 164/460 | Dennis; William E. |
| US 3602410 A | 19710831 | METHOD OR PRODUCING STEEL FIBERS | 225/4 | 225/103; 225/97 | Dennis; William E. et al. |
| US 3566030 A | 19710223 | TELEPRINTER | 178/30 | | Dennis William |

| | | | | | |
|--------------|----------|---|-----------|---|-------------------------|
| | | HAVING INSIGNIA FORMING MATRICES CARRIED BY A DRUM | | | George Byatt |
| US 3245938 A | 19660412 | Polyvinyl acetate emulsion size for treating glass [TEXT AVAILABLE IN USOCR DATABASE] | 524/319 | 428/392; 524/401; 524/563; 524/911 | DENNIS WILLIAM J |
| US 3228903 A | 19660111 | Process for controlling the hydrolysis of an organo-silane to form a stable dispersion [TEXT AVAILABLE IN USOCR DATABASE] | 524/806 | 528/32; 556/463 | DENNIS WILLIAM J |
| US 3110065 A | 19631112 | Sealing strip [TEXT AVAILABLE IN USOCR DATABASE] | 49/477.1 | 296/76; 49/498.1 | DENNIS WILLIAM L |
| US 2961361 A | 19601122 | Manufacture of reinforcing mats [TEXT AVAILABLE IN USOCR DATABASE] | 264/121 | 156/181; 264/122; 425/83.1 | DENNIS WILLIAM J |
| US 2790840 A | 19570430 | Furnace, adapted particularly for electrochemical studies of molten materials at high temperatures [TEXT AVAILABLE IN USOCR DATABASE] | 373/112 | | SIMNAD MASSOUD T et al. |
| US 2624570 A | 19530106 | Window regulator [TEXT AVAILABLE IN USOCR DATABASE] | 49/338 | 74/520 | DENNIS WILLIAM L |
| US 2543443 A | 19510227 | Auxiliary heat radiator for internal-combustion engines [TEXT AVAILABLE IN USOCR DATABASE] | 123/41.51 | 123/41.52 | DENNIS WILLIAM A |
| US 2437850 A | 19480316 | Grinding apparatus [TEXT AVAILABLE IN USOCR DATABASE] | 451/362 | 451/294; 474/118; 474/86 | DENNIS WILLIAM O |
| US 2249376 A | 19410715 | Seed planter [TEXT | 111/51 | 111/59; 474/42; | DENNIS |

| | | | | | |
|--------------|----------|--|----------|---|-------------------------------|
| | | AVAILABLE IN USOCR DATABASE] | | 474/88 | WILLIAM A |
| US 2178740 A | 19391107 | Controlling device for printing press ductor rollers [TEXT AVAILABLE IN USOCR DATABASE] | 101/344 | 101/110; 188/82.84 | DENNIS WILLIAM C et al. |
| US 2148111 A | 19390221 | Tire tool [TEXT AVAILABLE IN USOCR DATABASE] | 157/1.17 | 157/1.3 | DENNIS WILLIAM A |
| US 2122366 A | 19380628 | Weather strip construction [TEXT AVAILABLE IN USOCR DATABASE] | 49/435 | | DENNIS WILLIAM J |
| US 2088777 A | 19370803 | Squeegee [TEXT AVAILABLE IN USOCR DATABASE] | 15/245 | | DENNIS WILLIAM J |
| US 2002569 A | 19350528 | Weather strip [TEXT AVAILABLE IN USOCR DATABASE] | 49/490.1 | | DENNIS WILLIAM J |
| US 1955227 A | 19340417 | Rheostat switch [TEXT AVAILABLE IN USOCR DATABASE] | 335/69 | 200/16R; 310/209; 310/77; 318/256; 318/372; 318/821; 335/72; 335/74 | DENNIS WILLIAM O |
| US 1900229 A | 19330307 | Safety device for pressure systems [TEXT AVAILABLE IN USOCR DATABASE] | 200/82R | 137/543.13; 200/81R; 200/81.9R | DENNIS WILLIAM C |
| US 1883609 A | 19321018 | Gasket [TEXT AVAILABLE IN USOCR DATABASE] | 49/495.1 | 277/645; 277/648; 277/921; 49/498.1 | DENNIS WILLIAM J |
| US 1883608 A | 19321018 | Weather strip [TEXT AVAILABLE IN USOCR DATABASE] | 49/496.1 | | DENNIS WILLIAM J |
| US 1865746 A | 19320705 | Metal weather strip [TEXT AVAILABLE IN USOCR DATABASE] | 49/475.1 | | DENNIS WILLIAM J |
| US 1853339 A | 19320412 | Screen molding bead [TEXT AVAILABLE | 160/397 | | DENNIS WILLIAM J |

| | | | | | |
|--------------|----------|--|----------|-----------------------|---------------------|
| | | IN USOCR DATABASE] | | | |
| US 1853338 A | 19320412 | Automatic door draft stop [TEXT AVAILABLE IN USOCR DATABASE] | 49/309 | | DENNIS WILLIAM J |
| US 1840620 A | 19320112 | Book stand [TEXT AVAILABLE IN USOCR DATABASE] | 248/462 | | DENNIS WILLIAM J |
| US 1757706 A | 19300506 | Screen-frame material [TEXT AVAILABLE IN USOCR DATABASE] | 160/395 | | DENNIS WILLIAM J |
| US 1755687 A | 19300422 | Weather stripping [TEXT AVAILABLE IN USOCR DATABASE] | 49/484.1 | 112/417; 280/153.5 | DENNIS WILLIAM J |
| US 1734118 A | 19291105 | Metal weather stripping [TEXT AVAILABLE IN USOCR DATABASE] | 49/428 | | DENNIS WILLIAM J |
| US 1713268 A | 19290514 | Weather stripping [TEXT AVAILABLE IN USOCR DATABASE] | 49/475.1 | 280/153.5 | DENNIS WILLIAM J |
| US 1699611 A | 19290122 | Automatic door draft stop [TEXT AVAILABLE IN USOCR DATABASE] | 49/309 | | DENNIS WILLIAM J |
| US 1675844 A | 19280703 | Weather stripping [TEXT AVAILABLE IN USOCR DATABASE] | 49/475.1 | 280/153.5; 49/436 | DENNIS WILLIAM J |
| US 1667144 A | 19280424 | Weather strip [TEXT AVAILABLE IN USOCR DATABASE] | 428/595 | 428/603; 49/496.1 | DENNIS WILLIAM J |
| US 1666328 A | 19280417 | Weather strip [TEXT AVAILABLE IN USOCR DATABASE] | 49/496.1 | 296/29 | DENNIS WILLIAM J |
| US 1666327 A | 19280417 | Weather strip [TEXT AVAILABLE IN USOCR DATABASE] | 49/428 | | DENNIS WILLIAM J |
| US 1621240 A | 19270315 | Vermifuge and insecticide [TEXT AVAILABLE IN | 514/65 | 43/131 | DENNIS WILLIAM J |

| | | | | | |
|--------------|----------|---|----------|--|-------------------------------|
| | | USOCR DATABASE] | | | |
| US 1615574 A | 19270125 | Closet-hopper-seat hinge [TEXT AVAILABLE IN USOCR DATABASE] | 4/240 | | DENNIS WILLIAM J et al. |
| US 1587633 A | 19260608 | Weather strip [TEXT AVAILABLE IN USOCR DATABASE] | 49/496.1 | | DENNIS WILLIAM J |
| US 1464500 A | 19230814 | Mop holder [TEXT AVAILABLE IN USOCR DATABASE] | 15/153 | | DENNIS WILLIAM J |
| US 1375682 A | 19210426 | Squeegee [TEXT AVAILABLE IN USOCR DATABASE] | 15/245 | | DENNIS WILLIAM J |